PureHealth
MOLD INSPECTIONS

CLIENT FIELD GUIDE

Small Particle Cleaning

A practical guide to contractor cleaning inside containment and household cleaning outside it.



01 INSIDE CONTAINMENT

Your remediation contractor

Your remediation contractor completes Small Particle Cleaning inside containment after source correction and remediation, before PureHealth Post-Remediation Verification.

02 OUTSIDE CONTAINMENT

You or your hired cleaning team

You or a hired cleaning team clean the rooms, surfaces, and belongings outside containment after successful verification, any needed reconstruction, and contractor cleanup.

IN THIS GUIDE

02	Contractor requirements	03	Before you start
04	Decide what stays	05-06	Supplies and setup
07	Protected storage	08-09	Furniture and sessions
10	Three-wash laundry	11-13	Belongings guide
14-15	Room cleaning	16	Return and maintain

PHASE 1 / CONTRACTOR REQUIREMENTS

Inside containment

Your remediation contractor is responsible for this work inside every containment zone. It must be completed after remediation and source correction, before PureHealth Post-Remediation Verification.

THIS IS YOUR REMEDIATION CONTRACTOR'S RESPONSIBILITY.

01 Keep the work contained

Contents should already have been relocated out of containment before remediation began. Maintain containment and appropriate air controls during this cleaning. Remove debris and waste through protected routes.

02 Complete Small Particle Cleaning inside the zone

HEPA vacuum and damp wipe or detail clean compatible surfaces from ceiling to floor, including exposed assemblies, ledges, and installed fixtures. Use fresh disposable microfiber wipes and floor pads. Repeat wherever dust or residue remains.

03 Prepare the zone for independent verification

Present the containment zone dry, visibly clean, and safely accessible, with assemblies exposed as required. The remediation contractor corrects deficiencies identified during PureHealth Post-Remediation Verification before repeat verification.

This section summarizes the contractor's Small Particle Cleaning responsibilities inside containment. Your PureHealth remediation plan provides the detailed scope. You and your household cleaning team should not enter containment to complete this work.

After successful PureHealth Post-Remediation Verification, any needed reconstruction may begin. The contractor removes new construction dust from the rebuilt work area and travel paths before Phase 2. If no reconstruction is needed, proceed after verification and contractor cleanup.

NEXT: PHASE 2 / YOU OR YOUR HIRED CLEANING TEAM

The detailed steps that follow cover everything outside containment.

PHASE 2 / BEFORE YOU START

Start with a clear plan

You can complete this work over several sessions. First, confirm the handoff and make a practical plan for your home.

01 Confirm the handoff

Review your PureHealth Post-Remediation Verification results and remaining instructions. Source correction and remediation must be complete. Any needed reconstruction and contractor dust cleanup must also be finished. Ask PureHealth about unresolved findings before starting.

02 Agree on who cleans each area

Use the original containment boundaries to identify the contractor work areas. Contractor cleanup includes the rebuilt area and construction travel paths. Your Phase 2 work covers everything outside those zones, including relocated belongings. Confirm any unclear boundary before work begins.

03 Plan the people, space, and workload

Choose who will clean, who will handle lifting and overhead work, and where the household will stay during active cleaning. Select a room or manageable group of belongings to start with. Step 3 prepares protected storage before any laundry or belongings are cleaned.

Your seven-step route

01 Decide what to keep, hold, or remove.

02 Gather supplies and choose tolerated products.

03 Prepare storage, plan furniture, and plan your sessions.

04 Wash the selected fabrics.

05 Clean the selected movable belongings.

06 Clean their room from ceiling to floor.

07 Return finished belongings and maintain.

For each room, complete its laundry and movable belongings before its final room cleaning. You can repeat Steps 4-7 for the next room; you do not have to finish the entire home in one session.

PHASE 2 / STEP 1 / DECIDE BEFORE CLEANING

Decide what can be cleaned

PHASE 2: YOU OR YOUR HIRED CLEANING TEAM / OUTSIDE CONTAINMENT

Before cleaning, sort belongings into KEEP AND CLEAN, HOLD FOR DECISION, or REMOVE, including items relocated before remediation. Use the item-by-item guidance in Step 5 to decide now. Check hidden surfaces and absorbent layers where accessible.

01

Nonporous

Smooth, washable surfaces

Glass, metal, hard plastic, glazed tile, and intact washable sealed finishes are often suitable for HEPA vacuuming and damp wiping. Check damaged finishes and exposed edges separately because they may absorb moisture. Suspected internal contamination in electronics needs specialist assessment before cleaning.

02

Semiporous

Textured or absorbent surfaces

Unfinished solid wood, concrete, brick, and some masonry may be suitable for careful cleaning when dry and exposed mainly to settled dust. Rough surfaces may need additional vacuuming and material-compatible detailing. Growth, deterioration, or persistent odor needs a remediation or restoration decision before this cleaning sequence.

03

Porous

Fibers, foam and layered contents

Fabric, upholstery, mattresses, foam, carpet pad, paper, cardboard, and absorbent composites require individual decisions. Retain washable fabrics that can be cleaned and dried; dry items exposed mainly to settled dust may be candidates for surface cleaning.

Moldy foam, affected mattress or upholstery padding, affected carpet pad, and deeply contaminated low-value paper are often unsalvageable. Wet, visibly moldy, or persistently musty rugs and damp or moldy books need a restoration or replacement decision now. Hold valuable or uncertain items for specialist advice before investing in cleaning.

MAKE THE DECISION NOW

MOVE ON WHEN: retained items have a cleaning method, uncertain items are set aside, and removal items have a separate destination. Ask PureHealth to help identify the next assessment or specialist when unsure. Surface cleaning cannot reliably reach affected deep padding or inaccessible internal layers.

PHASE 2 / STEP 2 / EQUIPMENT

Build your cleaning kit

Use the material decisions from Step 1 to build your kit. Equipment must meet the listed features; brands are optional examples. Clean, suitable equipment and tubs you already own can be used.



HEPA vacuum

LOOK FOR

Choose a sealed filtration system with a HEPA exhaust filter, fitted bags, soft brush, crevice tool, and upholstery attachment.

Keep spare bags and filters.

PRODUCT EXAMPLES

- Miele Guard L1 Electro Titanium PF vacuum with HEPA AirClean filtration.
- Matching HyClean Air TU bags.



Wipes and mop pads

STARTING QUANTITIES

100-200 disposable microfiber wipes
12-24 disposable flat-mop pads

PRODUCT EXAMPLES

- Rubbermaid HYGEN Disposable Microfiber Cloths, 12 x 12 inches (2134283).
- Contec ContecClean disposable microfiber cloths.
- HYGEN Disposable Microfiber Pads, 18 inches (2134282), with a compatible 17-inch Quick-Connect frame.

Keep fresh supplies separate from waste. Quantities are a starting allowance for a two- to three-bedroom home, not a required purchase total. Replenish for the surface area and dust load.

One-way use. Fresh wipe every time.

01 DAMPEN

Lightly dampen each fresh wipe or pad from a clean bottle.

02 CLEAN

Use each wipe or pad once.

03 DISCARD

Used material goes directly into a lined waste bag near the room exit.

There is no wash bucket and no return of used wipes to clean solution.

PHASE 2 / STEP 2 / SETUP

Set yourself up for steady progress

Keep the supplies simple, organized, and suited to your home.



Storage and supplies

- Wipeable, lidded tubs for the three categories; use more than one per label as needed.
- Clean, labeled solution bottles.
- Separate laundry bags.
- Clean protective sheeting.
- Lined waste bags.
- Tape and a marker.

STORAGE EXAMPLE

Sterilite Gasket Boxes are one example. Use clean, suitable tubs you already own. Close lids only around completely dry items.



Choose one cleaner

Start with a simple, fragrance-free detergent solution suited to the surface and your tolerance. The brands below are optional examples; none is guaranteed to be tolerated by every client.

OPTIONAL PRODUCT IDEAS

- Branch Basics Concentrate
- EC3 Mold Solution
- Superstratum Building Cleaner

Choose one cleaner per pass. Follow its dilution, application, dwell, and residue-removal directions. Do not mix cleaners.

Try a small area or laundry load before broader use. If a product causes a reaction, stop using it. Ask PureHealth for help adapting the cleaning approach; discuss health reactions with your clinician.



Environmental control and personal comfort


- **Humidity monitoring:** Have a hygrometer. Maintain humidity below 50% where feasible without condensation.
- **HEPA air filtration:** Have appropriately sized HEPA filtration where useful.
- **Personal protection:** Have suitable gloves and respiratory protection.
- **Help with demanding tasks:** Arrange assistance for lifting, overhead surfaces, and dusty work before starting. Use professional help for unsafe heights.

MOVE ON WHEN: supplies, a suitable cleaner, and needed assistance are ready.

PHASE 2 / STEP 3 / STAGING


Prepare a place for clean items

Prepare protected finished storage before washing fabrics or cleaning belongings. The labels below describe three categories; use as many clearly labeled tubs as you need. Bag removal items separately.




TO CLEAN

Dry belongings selected for cleaning. Keep them in the waiting area, separate from finished items.



HOLD FOR DECISION

Uncertain, delicate, or valuable belongings awaiting advice. Keep them out of the active workflow.



CLEAN AND DRY

Individually cleaned, completely dry items. Keep them closed and protected from unfinished work.

Set up finished storage first

To prepare the first storage room, move its uncleaned belongings to the waiting area. Follow Step 6 to clean the room and any furniture that stays, then protect it. This setup pass happens before laundry and belongings cleaning.

Spare room or off-site space

Use a cleaned, dry space protected from active work. Keep the door closed where practical and bring in only cleaned items or clean, closed tubs.

Small home, no spare room

Plan one manageable batch at a time. Use a separate, cleaned, dry location for closed finished tubs, away from active cleaning and dusty traffic. If that separation is not practical, ask PureHealth or your cleaning team to plan storage before starting.

Set up a waiting side and a finished side at the cleaning station. Cover dusty items during transport without shaking them. Clean tub exteriors before finished storage. Clean and dry any used tub before putting finished items inside. Never seal damp items.

MOVE ON WHEN: finished storage is ready and waiting, held, removal, and finished items have separate destinations.

PHASE 2 / STEP 3 / FURNITURE

Make room to clean

Plan where every retained item will go before cleaning starts. Clean movable belongings in Steps 4 and 5. Furniture that stays in the room is protected first, then cleaned during Step 6 after overhead work and before the final floor pass.

01 Small belongings

- Move them to the designated waiting area when practical. Bag or cover dusty items during transport.
- Clean them in Steps 4 and 5, then protect them in finished storage until their room is ready.

02 Furniture that can move

- Move it far enough to reach the wall, baseboard, floor, and furniture surfaces behind and underneath it.
- If it cannot leave the room, work in sections. Keep uncleaned furniture on the unfinished side.
- Clean the furniture before placing it on a cleaned, dry floor section. Use clean moving aids.

03 Furniture that stays

- Protect it with clean sheeting while cleaning overhead and nearby surfaces.
- Remove sheeting carefully by folding the dusty side inward. Do not shake it out in the room.
- Clean the furniture using the material and item methods in Steps 1 and 5, after overhead cleaning and before the final floor pass.
- Arrange assistance to reach behind or beneath it safely. Areas that cannot be reached remain unfinished.

04 Built-ins and drawers

- Empty manageable groups of shelves or drawers. Keep their uncleaned contents separate.
- Clean accessible tops, fronts, interiors, edges, and surrounding surfaces during the room sequence.
- Return contents only when both the storage space and the belongings are cleaned and dry.

MOVE ON WHEN: furniture has a planned location and needed assistance is arranged. During room cleaning, work on overhead surfaces and walls, then furniture, then floors. Expose and clean hidden floor sections as furniture is moved.

PHASE 2 / STEP 3 / PLAN YOUR SESSIONS

Work at a manageable pace

A room can take more than one session. Keep a short written note of what is finished so you can stop without losing your place.

01 Choose a manageable batch

- Select one room or group of belongings. Keep other uncleaned items closed or covered in the waiting area.
- For that room, wash its fabrics in Step 4, clean movable belongings in Step 5, then complete Step 6 before returning them. Keep large furniture protected until its turn.

02 Pause with work protected

- Finish and dry the surface or item you are handling when practical. Label unfinished work with the next action, such as “Bedroom: walls done; furniture next.”
- Close finished tubs, keep waiting and held items separate, and keep damp items out of sealed storage. Finish drying wet laundry promptly.
- Discard used wipes and pads. Close waste bags and remove them by the planned route. Store fresh supplies separately.

03 Resume and manage household traffic

- Keep children, pets, and anyone not cleaning out of the active work area. Use a route that avoids finished rooms where practical.
- Before returning to clean work, wash hands, replace dirty gloves, and address dust on clothing and footwear. Clean vacuum attachments and tools according to their instructions before using them on finished surfaces.
- Check your progress note and the protected items. Resume the next unfinished task; re-clean any completed surface that has become dusty.

Normal use can resume in a completed, dry room with finished belongings and a plan to protect it from ongoing work elsewhere. This describes cleaning progress, not medical clearance to reoccupy.

PHASE 2 / STEP 4 / WASHABLE FABRICS

Three washes for retained fabrics

Start with a clean washer, selected fabrics, and finished storage ready. Test a small load. Keep loads loose; follow fabric, machine, and product directions for dilution, dose, and temperature.

Run three complete machine cycles with normal rinsing, draining, and spinning. Leave items in the washer between cycles; dry afterward. Protease and borax are optional: use tolerated detergent alone when either is unsuitable.

1

Detergent; optional protease

Use a tolerated, fragrance-free detergent. If suitable, add a label-dose laundry-formulated protease booster, or use detergent containing protease. Do not add extra protease when already present. Avoid protease for wool, silk, and other protein-based delicates.

2

Detergent; optional borax

Start a new full cycle with fresh water and detergent. Add label-dose borax only when compatible with the fabric, washer, detergent, and your tolerance.

3

Detergent, then extra plain-water rinse

Run a new full cycle with fresh water and detergent. Use any chosen rinse additive in the regular rinse as labeled. Add an extra plain-water rinse, then dry completely according to the care label.

Product roles and optional examples

Choose one detergent. Boosters and rinse additives are optional; use only label-compatible combinations.

PRODUCT TYPE	EXAMPLE	WHEN
Detergent	Branch Basics Concentrate; CitriSafe Remedy Laundry Liquid Detergent	Washes 1, 2, and 3
Protease booster	Separate laundry-formulated enzyme booster containing protease	Optional: Wash 1
Borax booster	20 Mule Team Borax	Optional: Wash 2
Rinse additive	EC3 Laundry Additive	Optional: Wash 3 regular rinse

MOVE ON WHEN: Laundry is fully dry, stored in a clean, closed tub, and protected from uncleaned surfaces until its room is ready.

This three-wash sequence supports physical cleaning; it is not a validated mycotoxin-clearance method. No additive guarantees complete removal.

PHASE 2 / STEP 5 / BELONGINGS 1 OF 3

Cleaning Your Belongings

What can be cleaned, what needs expert review, and what should be discarded.

Use these guides during Step 1 sorting, then clean the items you keep. Surface dust may be removable; mold growth, moisture damage, or affected inner layers need separate decisions.

01 Hard items and wood furniture

CLEAN IF: Glass, metal, hard plastic, or intact sealed finishes are dry and washable. Inspect undersides, joints, drawer bottoms, and exposed wood edges.

HOW TO CLEAN

1. HEPA vacuum seams and crevices. Remove drawers or detachable parts only when safe and practical.
2. Damp wipe compatible surfaces with fresh disposable wipes. Include backs, undersides, handles, and interior surfaces.
3. Follow any product-directed plain-water wipe; dry fully. For unfinished wood, minimize moisture and use a material-specific method.

HOLD FOR REVIEW: Set aside solid wood with growth, persistent mustiness, damaged finishes, or uncertain internal contamination for a restorer's assessment. Surface dust alone does not require replacement.

DISCARD / REPLACE: Discard moldy, swollen, or crumbling particleboard or fiberboard that cannot be cleaned throughout. A smooth outer finish does not make a damaged inner layer cleanable.

02 Electronics

CLEAN IF: The device is dry and the concern is external dust. Exterior cleaning does not address contamination inside cooling fans, vents, or the case.

HOW TO CLEAN

1. Turn off, unplug, and disconnect removable accessories before cleaning.
2. Follow the device maker's instructions. Use a fresh, soft, lint-free wipe permitted for that finish; clean the case, base, controls, and cords.
3. Keep liquids out of openings. Do not spray directly, blow dust out indoors, or put vacuum attachments inside the device. Let it dry before reconnecting.

HOLD FOR REVIEW: Water exposure, corrosion, visible growth, or suspected internal contamination needs an electronics service/restoration assessment before use. Do not open powered equipment.

DISCARD / REPLACE: Replace and use an appropriate electronics-recycling route if a qualified service determines it cannot be safely restored. Do not discard solely because it was in the home.

IF YOU FIND A NEW CONCERN: stop work on that item. Move it to HOLD FOR DECISION or arrange removal before it reaches finished storage. Ask PureHealth which type of specialist is appropriate.

PHASE 2 / STEP 5 / BELONGINGS 2 OF 3

Books, paper, and rugs

Keep held items out of the cleaning station and finished storage. The methods below apply to dry items with surface dust. Valuable or delicate items may need a conservator or textile specialist.

03 Books, paper, photographs, and cardboard

CLEAN IF: Books and papers are dry, intact, and only lightly dusty, without visible growth or signs of moisture damage.

HOW TO CLEAN

1. Keep books closed. Gently HEPA vacuum covers and page edges using low suction and a suitable soft attachment.
2. Damp wipe only covers that tolerate moisture. Keep pages, photographs, and uncoated paper dry; do not spray or fan pages indoors.
3. For loose or fragile papers and photographs, ask a conservator about cleaning. Store finished items dry in clean tubs; replace cardboard storage boxes.

HOLD FOR REVIEW: Isolate valuable books, records, artwork, or photographs with growth, dampness, stuck pages, or persistent mustiness. A paper conservator can assess restoration or digitization.

DISCARD / REPLACE: Discard visibly moldy ordinary books, loose paper, cardboard, and paper-based puzzles. Do not attempt household surface cleaning of mold growing within pages or bindings.

04 Rugs and carpet pads

CLEAN IF: The rug stayed dry, has settled dust only, and both its face and backing can be reached. Inspect the backing, edges, pad, and floor beneath.

HOW TO CLEAN

1. On a cleanable work surface, slowly HEPA vacuum the face and backing from several directions, using an attachment suited to the fibers.
2. Keep the cleaned side away from dirty flooring. Clean the work surface before turning the rug onto it.
3. Protect the cleaned, dry rug until the room is finished. Use a textile professional for delicate rugs or any wet-cleaning method requiring controlled drying.

HOLD FOR REVIEW: Hold valuable rugs with water damage, mustiness, or uncertain backing conditions for specialist assessment. Vacuuming the face cannot clean affected inner layers.

DISCARD / REPLACE: Discard moldy carpet pad and rugs with mold in the backing or deep layers that cannot be restored. Moldy installed carpet and pad need planned removal before room cleaning.

REMOVAL: photograph items if needed for your records, then bag or wrap them before carrying them through the home. Keep removed items away from finished storage; do not donate items with unresolved mold contamination.

PHASE 2 / STEP 5 / BELONGINGS 3 OF 3

Soft furnishings and bedding

Soft furnishings need a decision about the whole item, including its filling. Surface vacuuming can remove settled dust; it cannot reliably reach contamination inside foam, padding, or other deep layers.

05 Upholstered furniture and cushions

CLEAN IF: The item stayed dry and has surface dust only. Check seams, undersides, beneath removable cushions, and accessible padding.

HOW TO CLEAN

1. Wash removable, machine-washable covers using Step 4 when their care labels allow.
2. Slowly HEPA vacuum all accessible sides, seams, crevices, backs, and undersides. Use a suitable upholstery attachment.
3. Clean frames and legs by material type. Do not mist or saturate padding. Clean large pieces that stay during Step 6.

HOLD FOR REVIEW: Hold items with an unclear wetting history, persistent mustiness, or inaccessible inner layers for a contents-restoration specialist.

DISCARD / REPLACE: Replace mold-affected foam, padding, batting, or inaccessible inner layers. Keep furniture only if a specialist can replace every affected component and clean the remaining structure.

06 Mattresses, pillows, and other filled items

CLEAN IF: The mattress or filled item stayed dry, has surface dust only, and shows no visible growth or evidence of affected inner material.

HOW TO CLEAN

1. Remove washable bedding and protectors for Step 4. Inspect the mattress itself, including seams and the underside.
2. HEPA vacuum a retained mattress on all accessible sides. Use help to turn it safely; do not cut it open.
3. Wash pillows or stuffed toys only if the whole item is washable and can dry completely through its filling. Keep non-washable foam dry.

HOLD FOR REVIEW: Set aside items with an uncertain damp-storage history, deep staining, or persistent mustiness for assessment before reuse. A clean-looking cover does not establish a clean interior.

DISCARD / REPLACE: Discard a moldy mattress and mold-affected pillows, foam toppers, or stuffed toys with contaminated filling. A new cover, spray, or repeated vacuuming does not make affected inner material clean.

MOVE ON WHEN: kept items are clean, dry, and protected; held items are separate; discard items are removed. Reassess persistent odors. Lack of odor does not confirm a clean interior.

Include the cleaning station and transport route in the Step 6 room cleaning pass.

PHASE 2 / STEP 6 / ROOM CLEANING 1 OF 2

Start high. Work down.

For the main room pass, begin after that room's movable belongings are cleaned and stored. Prepare the first storage room as described in Step 3. Work outside containment, from less impacted rooms toward dustier rooms and the exit.

01 Prepare the room

- Confirm movable belongings are in their planned destinations, protect furniture that remains, and keep fresh supplies apart from waste.
- Gently remove visible debris.
- Avoid dry sweeping, compressed air, and fans blowing across dust.
- Stop and reassess new moisture or visible growth.

02 HEPA vacuum high to low

- Begin with accessible ceilings and overhead ledges where the finish permits.
- Continue through walls, trim, light fixtures, fan blades, doors, window tracks, shelves, cabinetry, and accessible supply and return vent covers.
- Clean behind and beneath furniture as each section becomes accessible.
- Use slow, overlapping passes and suitable attachments.

03 Damp wipe high to low

- Lightly dampen a fresh disposable microfiber wipe from the clean bottle.
- Work across compatible ceilings, down walls, then through fixtures, built-ins, doors, trim, and vent covers.
- Use controlled, overlapping strokes and keep moisture out of electrical parts and vent openings.
- Discard the wipe after the small section, or sooner if loaded.
- Take a fresh wipe for the next section and for any product-directed plain-water follow-up.

NEXT: retained furniture, floors, and the final room check.

PHASE 2 / STEP 6 / ROOM CLEANING 2 OF 2

Finish low. Check your work.

Continue in the same room after the overhead surfaces and walls are finished.

04 Clean the retained furniture

- After overhead and wall work, carefully remove protective sheeting.
- Clean retained furniture using the methods in Steps 1 and 5, including accessible backs, undersides, seams, frames, and legs.
- Position cleaned furniture on cleaned, dry floor sections as work progresses, using clean moving aids.

05 Finish the floors

- HEPA vacuum hard floors, edges, and newly exposed furniture footprints.
- Lightly damp mop compatible flooring with fresh disposable pads.
- Replace loaded pads promptly and discard before entering another room.
- Vacuum carpets and rugs slowly from multiple directions.

06 Inspect before moving on

- Check ledges, tracks, corners, furniture backs, baseboards, and floor edges.
- Repeat where visible dust or residue remains.
- Mark inaccessible planned areas as unfinished and arrange help before calling the room complete.
- Confirm cleaned surfaces are dry.
- Close waste bags, remove them along the planned route, and protect completed rooms from dusty traffic.

Patch-test finishes and minimize moisture. Fragile, textured, damaged, unpainted, or water-sensitive surfaces need a material-specific method; rough surfaces may need further HEPA vacuuming. Do not disturb suspect older coatings or work at unsafe heights. This room pass covers accessible vent faces and surrounding surfaces. Any system-interior work follows the separate professional scope, if required.

PHASE 2 / STEP 7 / RETURN AND MAINTAIN

Put things back. Keep it steady.

Return belongings when the room has completed Step 6 and is dry. Use the same Steps 4-7 for the next room while keeping finished areas protected.

MOVE ON WHEN: the planned surfaces are cleaned and dry, visible dust and residue are removed, and no planned area remains unfinished.

01 Return finished belongings

- Bring back only items already cleaned and completely dry. Keep them protected during transport.
- Place items on clean, dry shelves and surfaces. Keep laundry in its clean storage until it is put away.
- Remove transport coverings carefully and dispose of used packaging along the planned waste route.

02 Maintain a dry, stable home

- Target humidity near 45% and below 50% where feasible without condensation.
- Continue appropriate filtration and HVAC filter maintenance.
- Initially HEPA vacuum and damp wipe high-use spaces weekly with fresh disposable supplies, then adjust to actual dust load.
- Correct leaks or condensation promptly. If dust or odor returns quickly, investigate the source before repeating cleaning.

A completed cleaning pass has a stopping point: the planned work is finished, visible dust and residue are removed, and rooms and belongings are dry. Completion does not establish medical safety or guarantee symptom improvement. If symptoms continue, seek clinical advice and discuss specific environmental concerns with PureHealth before repeating the whole process.